



**in der Bank Austria Halle  
Gasometer**

## **Technical Information Sheet**

### **Index**

- 1. PA**
- 2. FOH**
- 3. Monitoring**
- 4. Cabling / Mics**
- 5. Stage/ Backline / Power**
- 6. Loading**

**For any question about this document please don't hesitate to get in contact via email!  
I'm always happy to talk to people on the phone in advance as long as we have an appointment, so  
everybody is prepared and we can sort things out real quick and easy!**

**DI (FH) Robert Breunholder  
Technical Venue Manager**



Guglgasse 8,  
1110 Wien  
[robert@planet.tt](mailto:robert@planet.tt)

## 1. PA

08 x L-Acoustics Kudo / Side flown  
08 x L-Acoustics SB218  
04 x Martin Audio EM25 Nearfills (Mono)  
02 x Martin Audio EM25 Outfills (Mono)  
04 x d&b 1220 Delayline for Balcony (Mono)

Processing:

02 x Klark DN360 Graphic-EQ  
02 x XTA DP224 Processor (Main PA)  
02 x TC XO24 Time-Delay (Near- & Outfills, Delayline)  
10 x LAB-Gruppen FP10000Q Amps

For sold out shows or Music with lots of Bass it is highly recommended to use 4 additional SB218 Subs, which can easily be integrated into the existing setup. Additional Subs are not available in house, but can be rented from one of our partners at low cost.

## 2. FOH

01 x Midas H3000 44+4  
02 x Midas H3000 PSU  
Siderack FX:  
01 x TC D2  
01 x Lexicon PCM 80  
01 x Yamaha SPX 900  
01 x Yamaha SPX 2000  
01 x Klark DN370  
01 x Denon CD/Tape  
01 x Siderack Inserts: 02 x BSS DPR 504 Quadgate  
02 x BSS DPR 404 Quadcompressor  
04 x dbx 160A Monocompressor

## 3. Monitoring

01 x Digico D1 48/32  
06 x L-Acoustics 115FM  
08 x Floorwedge-Controll: XTA DP224 processing + Lab-Gruppen LA24 Amps  
02 x Sidefills: 02 x Meyer Sound DS4P/ Side  
01 x Meyer Sound MSL4 Top / Side  
01 x Drumfill: 01 x Meyer Sound 650P Sub  
01 x Meyer Sound CQ1 Top

## 4. Cabling / Mics / Backline / Power

48 - Channel BSS active Splitter  
06 x Subcoresystem LK37 - 12Channel Inputbox  
01 x Patchbay 4 x LK37 in - 48 x XLR out  
01 x Multicoresystem LK37 36Channel send to FOH 60m  
01 x MuticoreSystem LK37 36Channel send to Monitor 1,5m

### Misc.:

Microphones/DI's:  
Standardsets of Shure, Sennheiser, AKG, Audix (List on request)

## 5. Stage/ Backline / Power

Standard Stage size: 16 x 8 x 1,5m  
Clearance: 6m  
SL Wing (Monitor): 2 x 3m  
Stairs SL

### Backline:

We don't have any Backline in house!  
If Backline is needed we are happy to take care of rental,  
if communicated in time.

### Backline - Power:

3 x 16A Schuko Type

## 6. Loading

The loading Dock on ground level holds one Truck.  
Distance to Stage: 20m (even with the ground)